TA557 Barstock thermowell

Made of drilled barstock material. Mainly used in heavy duty or general purpose applications.

Benefits:

- The extension and the immersion lengths as well as the bar dimensions can be chosen according to process requirements
- A wide choice of standard materials and process connections is available; other versions can be ordered according to specification
- Different grades of surface finishing are also available
- The thermowell stem shape is conical
- The process connection can be threaded or flanged weld

Specs at a glance

- Max. process pressure (static) 500 bar (7252 psi)
- Maximum standard immersion length 1000 mm (39,37")
- Max. immersion length on request 5.000 mm (196,85")

Field of application: Due to the challenging process conditions by heavy duty applications the load capacity of a thermowell must be calculated exactly. Dye penetration tests, ultrasound test, helium leakage test, pressure endurance test as well as various, non-destructive material tests prove the quality of materials and processing.

Features and specifications

Thermowell

Measuring principle Bar stock Thermowell



More information and current pricing:

www.endress.com/TA557



Thermowell

Characteristic / Application metric style various process connections round extension

Head connection

internal thread: 1/2" NPT

Maximum standard immersion length 1000 mm (39,37")

Max. immersion length on request

5.000 mm (196,85")

Process connection

thread: 1" NPT flange: ASME 1" 150 RF (B16.5) ASME 1" 300 RF (B16.5) ASME 1" 600 RF (B16.5) ASME 1 1/2" 150 RF (B16.5) ASME 1 1/2" 300 RF (B16.5) ASME 1 1/2" 300 RF (B16.5) ASME 1 1/2" 600 RT (B16.5) ASME 2" 300 RF (B16.5) ASME 2" 600 RT (B16.5) ASME 2" 600 RT (B16.5)

Thermowell root diameter

25 mm (0,98")

Thermowell

Medium contact material

1.4401 (316) 1.4404 (316L) 1.4571 (316Ti) 2.4819 (Alloy C276) 2.4360 (Alloy 400)

Wetted part finishing (Ra)

< 0.8 µm (31.50 µin) < 1.6 µm (63.00 µin)

Tip shape

straight conical

Temperature range

-200...700 °C (-328...1.292 °F)

Max. process pressure (static) 500 bar (7252 psi)

Max. process pressure at 400 °C 300 bar (4351 psi)

More information www.endress.com/TA557

