

M11 / M12 DIGITAL MULTIMETER



Specifications

	M11	M12
DC Voltage	200mV/2/20/200/1000V	200mV/2/20/200/1000V
	± (0.8%+5digits)	± (0.8%+5digits)
DC Current	200μA/2mA/20mA /200mA/10A	2mA/20mA /200mA/10A
	± (1.5%+3digits)	± (1.5%+3digits)
AC Voltage	200mV/2/20/200/750V	200mV/2/20/200/750V
	± (1.2%+5digits)	± (1.2%+5digits)
	40Hz ~ 500Hz	40Hz ~ 500Hz
AC Current	200μA/2mA/20mA /200mA/10A	2mA/20mA /200mA/10A
	± (1.5%+5digits)	± (1.5%+5digits)
	40Hz ~ 200Hz	40Hz ~ 200Hz
Resistance	200/2K/20K/200K/2M/20M/200M	200/2K/20K/200K/2M/20M/200M
	± (0.8%+5digits)	± (0.8%+5digits)
Capacitance	2nF/20nF/200nF/20μF/200μF	20nF/200nF/20μF/200μF
	± (4%+8digits)	± (4%+8digits)
Temperature (K Type)		-40~1000°C
		± (2%+3°C)

Frequency		20KHz
		$\pm (1.5\%+5)$
HEF	0~1000	0~1000
Diode/Continuity		